Seven Hills Surgery Center 2010 Fleischmann Road Tallahassee, Fl 32308 850-552-0608

Discharge Instructions for Bui's Cataract Removal

- Do not rub the operative eye. If you had a dropless catarct surgery, It will be NORMAL to see a small medication bubble in the operative eye. It may be white, yellow or even red. Should not grow or be painful.
- It is normal for your vision to be blurry and to experience some light sensitivity and minor discomfort after surgery. These symptoms will gradually resolve and you should be able to return to your normal activities within a few days.
- Rest today and advance diet as tolerated.
- A clear shield has been placed over your operative eye. You should lower the shield to use your eye drops, reapply the shield, and sleep with the shield on tonight. You may remove the shield in the morning. <u>Tape the eye shield provided over your operative eye for 1 week after surgery whenever sleeping</u> at night or while taking a nap.
- Avoid bending below the waist, straining, or lifting objects weighing over twenty pounds for 2
 weeks
- Report any severe pain, increased redness or discharge, or decreased vision in the operative eye
 to your physician immediately.
- If an eye patch is in place immediately after your surgery, **leave the patch in place**. It will be removed by your surgeon the day after your surgery at your follow up visit.
- Your follow up appointment will be the day after your surgery at Eye Associates at the time given to you by your physician or with your co-managed physician.
- Take Tylenol or ibuprofen over the counter medications as directed for any discomfort.
- You my wash your hair the day after your surgery, but avoid excessive water in the operative eye.
- You may wear make-up 1 week after surgery.
- You may use an eye lubricant such as Systane or Refresh as needed for dry eye, discomfort, and
 irritation. This is not a prescription. If you use it, wait at least 30 minutes after placing prescriptions in
 the eye.

If any problems occur, or if you have further questions, please contact:

Eye Associates M-F, 7:30-5:30 pm at (850)878-6161, and option "5" then option "0"/ after 5:30pm option "1" (or dial 850-694-1866) for the on-call technician

- If you cannot contact anyone but feel that your symptoms require a physician's attention, go to the nearest Emergency Room.
- Please keep the blue bag that was provided to you and bring it with you when you return for your second surgery.

Please resume all medications upon discharge unless noted below:

GLAUCOMA patients continue to take ALL Glaucoma drops!